

Validated Investigator Global Assessment scale for Atopic Dermatitis

vIGA-AD™

Instructions:

The IGA score is selected using the descriptors below that best describe the overall appearance of the lesions at a given time point. It is not necessary that all characteristics under Morphological Description be present.

Score	Morphological Description
0 – Clear	No inflammatory signs of atopic dermatitis (no erythema, no induration/papulation, no lichenification, no oozing/crusting). Post-inflammatory hyperpigmentation and/or hypopigmentation may be present.
1 – Almost clear	Barely perceptible erythema, barely perceptible induration/papulation, and/or minimal lichenification. No oozing or crusting.
2 – Mild	Slight but definite erythema (pink), slight but definite induration/papulation, and/or slight but definite lichenification. No oozing or crusting.
3 – Moderate	Clearly perceptible erythema (dull red), clearly perceptible induration/papulation, and/or clearly perceptible lichenification. Oozing and crusting may be present.
4 – Severe	Marked erythema (deep or bright red), marked induration/papulation, and/or marked lichenification. Disease is widespread in extent. Oozing or crusting may be present.

Notes:

1. In indeterminate cases, please use extent to differentiate between scores.

For example:

- Patient with marked erythema (deep or bright red), marked papulation and/or marked lichenification that is limited in extent, will be considered “3 – Moderate”.

2. Excoriations should not be considered when assessing disease severity.