

Tilmaamaha Qaadashada Acetaminophen

Qiyaasaha lagu taliyey ee joojinta dareeraha acetaminophen (160 mg/5mL):

Muhiim:

- Miisaannada hoos ku taxan waa **rodol (lbs)** IYO **kiilooqaraam (kg)**. Fadlan laba jeer ka hubi bixiyaha xanaanada caafimaadkaaga waxaa miisaanka saxda ah iyo cutubka u yahay ilmahaaga ka hor inta aanad isticmaalin miiskan.
- Waxaad ku celin kartaa qiyaasaha 4-tii saacadoodba mar laakiin **HA SIIN** wax ka badan 5 qiyaasood 24 saacadood gudahood.
- Acetaminophen waxaa kaloo loo yaqaan Tylenol™.
- Iska hubi dhalada guriga si aad u hubiso inay leedahay 160 mg/5mL. Haddii aysan taasi dhicin, **HA** isticmaalin shaxdan.

Ha isticmaalin acetaminophen haddii ilmahaagu uu xasaasiyad ka qaaday acetaminophen ama haddii ilmahaaga laga helay cudur beerka ah.

Qiyaasta Miisaanka ee rodol (lbs)	Miisaanka ayaa ah kiilooqaraam (kg)	Qiyaasta (mg)	Mugga (mL) ee 160 mg/5 mL joojinta
5.9 – 6.9 rodol	2.7 – 3.1 kg	40 mg	1.25 mL
7 – 8.2 rodol	3.2 – 3.7 kg	48 mg	1.5 mL
8.3 – 9.3 rodol	3.8 – 4.2 kg	56 mg	1.75 mL
9.4 – 11.8 rodol	4.3 – 5.3 kg	64 mg	2 mL
11.9 – 13.9 rodol	5.4 – 6.3 kg	80 mg	2.5 mL
14 – 16.4 rodol	6.4 – 7.4 kg	96 mg	3 mL
16.5 – 18.8 rodol	7.5 – 8.5 kg	112 mg	3.5 mL
18.9 – 20.9 rodol	8.6 – 9.5 kg	128 mg	4 mL
21 – 23.4 rodol	9.6 – 10.6 kg	144 mg	4.5 mL
23.5 – 28.1 rodol	10.7 – 12.7 kg	160 mg	5 mL
28.2 – 32.7 rodol	12.8 – 14.8 kg	192 mg	6 mL
32.8 – 37.5 rodol	14.9 – 17 kg	224 mg	7 mL
37.6 – 42.2 rodol	17.1 – 19.1 kg	256 mg	8 mL
42.3 – 46.8 rodol	19.2 – 21.2 kg	288 mg	9 mL
46.9 – 58.7 rodol	21.3 – 26.6 kg	320 mg	10 mL
58.8 – 70.4 rodol	26.7 – 31.9 kg	400 mg	12.5 mL
70.5 – 94 rodol	32 – 42.6 kg	480 mg	15 mL
94.1 rodol iyo ka badan	42.7 kg iyo ka badan	640 mg	20 mL

Qiyaasaha lagu taliyey ee kiniinnada acetaminophen la calalin karo:

Hubi xirmada haddii aad haysato: **80 mg/kiniin** AMA **160 mg/kiniiniga** oo isticmaal tiirka ku habboon ee hoose.

Muhiim:

- Miisaannada hoos ku taxan waa **rodol (lbs)** IYO **kiilogaaram (kg)**. Fadlan laba jeer ka hubi bixiyaha xanaanada caafimaadkaaga waxaa miisaanka saxda ah iyo cutubka u yahay ilmahaaga ka hor inta aanad isticmaalin miiskan.
- Waxaad ku celin kartaa qiyaasaha 4-tii saacadoodba mar laakiin **HA SIIN** wax ka badan 5 qiyaasood 24 saacadood gudahood.
- Acetaminophen waxaa kaloo loo yaqaan Tylenol™.
- Hubi xirmadaada guriga si aad u hubiso inaad haysato **80 mg/kiniin** AMA **160 mg/kiniiniga** oo isticmaal tiirka ku habboon ee hoose. Haddii aysan midkoodna taxan, **HA** isticmaalin shaxdan.

Qiyaasta Miisaanka ee rodol (lbs)	Miisaanka ayaa ah kiilogaaram (kg)	Qiyaasta (mg)	Tirada kaniiniyada halkiiba (80 mg)	Tirada kaniiniyada halkiiba (160 mg)
23.5 – 36 rodol	10.7 – 16.3 kg	160 mg	2 kaniini	1 kiniin ah
36.1 – 46.8 rodol	16.4 – 21.2 kg	240 mg	3 kaniini	1.5 kaniini
46.9 – 58.7 rodol	21.3 – 26.6 kg	320 mg	4 kaniini	2 kaniini
58.8 – 70.4 rodol	26.7 – 31.9 kg	400 mg	5 kaniini	2.5 kaniini
70.5 – 94 rodol	32 – 42.6 kg	480 mg	6 kaniini	3 kaniini
94.1 rodol iyo ka badan	42.7 kg iyo ka badan	640 mg	8 kaniini	4 kaniini

Qiyaaso la soo jeediyay oo ah 325 mg kiniinada acetaminophen (xoog joogto ah):

Muhiim:

- Miisaannada hoos ku taxan waa **rodol (lbs)** IYO **kiilogaaram (kg)**. Fadlan laba jeer ka hubi bixiyaha xanaanada caafimaadkaaga waxaa miisaanka saxda ah iyo cutubka u yahay ilmahaaga ka hor inta aanad isticmaalin miiskan.
- Waxaad ku celin kartaa qiyaasaha 4-tii saacadoodba mar laakiin **HA SIIN** wax ka badan 5 qiyaasood 24 saacadood gudahood.
- Acetaminophen waxaa kaloo loo yaqaan Tylenol™.

- Hubi xirmadaada guriga si aad u hubiso inaad haysato **325 mg kiniinada xoogga caadiga ah**. Haddii aanay ku taxnayn 325 mg oo kiniin ah, **HA** isticmaalin shaxdan.

Qiyaasta Miisaanka ee rodol (lbs)	Miisaanka ayaa ah kiiloogaraam (kg)	Qiyaasta (mg)	Tirada kiniinka (325 mg)
47.8 – 95.5 rodol	21.7 – 43.3 kg	325 mg	1 kiniin ah
95.6 rodol iyo ka badan	43.4 kg iyo ka badan	650 mg	2 kaniini

Qiyaaso la soo jeediyay oo ah 500 mg kiniinada acetaminophen (xoog dheeraad ah):

Muhiim:

- Miisaannada hoos ku taxan waa **rodol (lbs)** IYO **kiiloogaraam (kg)**. Fadlan laba jeer ka hubi bixiyaha xanaanada caafimaadkaaga waxaa miisaanka saxda ah iyo cutubka u yahay ilmahaaga ka hor inta aanad isticmaalin miiskan.
- Waxaad ku celin kartaa qiyaasaha **6 saacadood** kasta.
- Acetaminophen waxaa kaloo loo yaqaan Tylenol™.
- Hubi xirmadaada guriga si aad u hubiso inaad haysato **500 mg kiniinada xoogga caadiga ah**. Haddii aysan ku qorin 500 mg kiniin, **HA** isticmaalin shaxdan.

Qiyaasta Miisaanka ee rodol (lbs)	Miisaanka ayaa ah kiiloogaraam (kg)	Qiyaasta (mg)	Tirada kiniinka (500 mg)	Tirada ugu badan ee qiyaasaha 24 saacadood
73.4 – 146.9 rodol	33.3 – 66.6 kg	500 mg	1 kiniin ah	5 qiyaasood
147 rodol iyo ka badan	66.7 kg iyo ka badan	1000 mg	2 kaniini	3 qiyaasood

Qiyaasaha lagu taliyey ee dawooyinka malawadka acetaminophen:

Muhiim:

- **HA** ku siin wax ka badan 5 qiyaasood 24 saac gudahood.
- Acetaminophen waxaa kaloo loo yaqaan Tylenol™.
- Hubi xirmadaada guriga si aad u hubiso inaad haysato **80 mg, 120 mg, 325 mg ama 650 mg suppository** energy oo isticmaal tiirka ku haboon ee hoose. Haddii aysan midkoodna taxan, **HA** isticmaalin shaxdan.

Kala duwanaanshaha da'da	Qiyaasta
6 ilaa 11 bilood	80 mg 6dii saacadoodba mar
12 ilaa 36 bilood	80 mg 4 ilaa 6 saacadood kasta
In ka badan 3 ilaa 6 sano	120 mg 4 ilaa 6 saacadood kasta
Ka weyn 6 sano ilaa 12 sano	325 mg 4 ilaa 6 saacadood kasta
Ka weyn ama la mid ah 12 sano	650 mg 4 ilaa 6 saacadood kasta