

# Ibuprofen (Advil™, Motrin™) Tilmaamaha Qiyaasta

HA siin carruurta ka yar **6 bilood**.

**Qiyaasaha lagu taliyey ee joojinta dareeraha ibuprofen (100 mg/5 mL):**

## **Muhiim:**

- Miisaannada hoos ku taxan waa **rodol (lbs)** IYO **kiilogaaram (kg)**. Fadlan laba jeer ka hubi bixiyaha xanaanada caafimaadkaaga waxaa miisaanka saxda ah iyo cutubka u yahay ilmahaaga ka hor inta aanad isticmaalin miiskan.
- Waxaad ku soo celin kartaa qiyaasaha ilaa 6 saacadood kasta laakiin **HA** ku siin wax ka badan 4 qiyaasood 24 saacadood gudahood.
- Ibuprofen waxaa sidoo kale loo yaqaan Advil™ iyo Motrin™.
- Iska hubi dhalada guriga si aad u hubiso inay leedahay **100 mg/5 mL**. Haddii aysan taasi dhicin, **HA** isticmaalin shaxdan.

**Ha isticmaalin ibuprofen haddii ilmahaagu uu xasaasiyad ku yeeshay ibuprofen ama haddii ilmahaaga laga helay cudur kelyo ah, boogaha caloosha, dhiigbaxa caloosha iyo mindhicirka, kansar ama dhiig-bax.**

Qiyaasta Miisaanka ee <b>rodol (lbs)</b>	Miisaanka ayaa ah <b>kiilogaaram (kg)</b>	Qiyaasta (mg)	Mugga (mL) ee <b>100 mg/5 mL</b> joojinta
13.2 – 15.3 rodol	6 – 6.9 kg	60 mg	3 mL
15.4 – 17.5 rodol	7 – 7.9 kg	70 mg	3.5 mL
17.6 – 21.9 rodol	8 – 9.9 kg	80 mg	4 mL
22 – 26.3 rodol	10 – 11.9 kg	100 mg	5 mL
26.4 – 30.7 rodol	12 – 13.9 kg	120 mg	6 mL
30.8 – 35.1 rodol	14 – 15.9 kg	140 mg	7mL
35.2 – 43.9 rodol	16 – 19.9 kg	160 mg	8 mL
44 – 52.8 rodol	20 – 23.9 kg	200 mg	10 mL
52.9 – 66 rodol	24 – 29.9 kg	240 mg	12 mL
66.1 – 77 rodol	30 – 34.9 kg	300 mg	15 mL
77.1 – 88 rodol	35 – 39.9 kg	350 mg	17.5 mL
88.1 – 110.1 rodol	40 – 49.9 kg	400 mg	20 mL
110.2 – 132.1 rodol	50 – 59.9 kg	500 mg	25 mL
132.2 rodol iyo ka badan	60 kg iyo ka badan	600 mg	30 mL

**Qiyaasaha lagu taliyey ee joojinta dareeraha ibuprofen (50 mg/1.25 mL):**

**Muhiim:**

- Miisaannada hoos ku taxan waa **rodol (lbs)** IYO **kiiloogaraam (kg)**. Fadlan laba jeer ka hubi bixiyaha xanaanada caafimaadkaaga waxaa miisaanka saxda ah iyo cutubka u yahay ilmahaaga ka hor inta aanad isticmaalin miiskan.
- Waxaad ku soo celin kartaa qiyaasaha ilaa 6 saacadood kasta laakiin **HA** ku siin wax ka badan 4 qiyaasood 24 saacadood gudahood.
- Ibuprofen waxaa sidoo kale loo yaqaan Advil™ iyo Motrin™.
- Iska hubi dhalada guriga si aad u hubiso inay leedahay **50 mg/1.25 mL**. Haddii aysan taasi dhicin, **HA** isticmaalin shaxdan.

Qiyaasta Miisaanka ee <b>rodol (lbs)</b>	Miisaanka ayaa ah <b>kiiloogaraam (kg)</b>	Qiyaasta (mg)	Mugga (mL) ee <b>50 mg/1.25 mL</b> joojinta
12.1 – 16.4 rodol	5.5 – 7.4 kg	50 mg	1.25 mL
16.5 – 21.8 rodol	7.5 – 9.9 kg	75 mg	1.875

**Qiyaasaha lagu taliyey ee kiniinnada ibuprofen la calalin karo (100 mg/kiniin):**

**Muhiim:**

- Miisaannada hoos ku taxan waa **rodol (lbs)** IYO **kiiloogaraam (kg)**. Fadlan laba jeer ka hubi bixiyaha xanaanada caafimaadkaaga waxaa miisaanka saxda ah iyo cutubka u yahay ilmahaaga ka hor inta aanad isticmaalin miiskan.
- Waxaad ku soo celin kartaa qiyaasaha ilaa 6 saacadood kasta laakiin **HA** ku siin wax ka badan 4 qiyaasood 24 saacadood gudahood.
- Ibuprofen waxaa sidoo kale loo yaqaan Advil™ iyo Motrin™.
- Ka hubi dhalada guriga si aad u hubiso inay ku qoran tahay **100 mg/kiniini**. Haddii aysan taasi dhicin, **HA** isticmaalin shaxdan.

Qiyaasta Miisaanka ee <b>rodol (lbs)</b>	Miisaanka ayaa ah <b>kiiloogaraam (kg)</b>	Qiyaasta (mg)	Tirada <b>100 mg</b> kaniiniga la rujiyo
44 – 54.9 rodol	20 – 24.9 kg	100 mg	2 kaniini

55 – 66 rodol	25 – 29.9 kg	250 mg	2.5 kaniini
66.1 – 77 rodol	30 – 34.9 kg	300 mg	3 kaniini
77.1 – 88 rodol	35 – 39.9 kg	350 mg	3.5 kaniini
88.1 – 99 rodol	40 – 44.9 kg	400 mg	4 kaniini
99.1 – 110 rodol	45 – 49.9 kg	450 mg	4.5 kaniini
110.1 – 121 rodol	50 – 54.9 kg	500 mg	5 kaniini
121.1 – 132 rodol	55 – 59.9 kg	550 mg	5.5 kaniini
132.1 rodol iyo ka badan	60 kg iyo ka badan	600 mg	6 kaniini

**Qiyaasaha lagu taliyey ee kiniiniga ibuprofen 200 mg:**

Carruurta 12 sano iyo ka weyn ilaa dadka waaweyn

**Muhiim:**

- Miisaannada hoos ku taxan waa **rodol (lbs)** IYO **kiiloogaraam (kg)**. Fadlan laba jeer ka hubi bixiyaha xanaanada caafimaadkaaga waxaa miisaanka saxda ah iyo cutubka u yahay ilmahaaga ka hor inta aanad isticmaalin miiskan.
- Waxaad ku soo celin kartaa qiyaasaha ilaa 6 saacadood kasta laakiin **HA** ku siin wax ka badan 4 qiyaasood 24 saacadood gudahood.
- Ibuprofen waxaa sidoo kale loo yaqaan Advil™ iyo Motrin™.
- Ka hubi dhalada guriga si aad u hubiso inay ku qoran tahay **200 mg/kiniini**. Haddii aysan taasi dhicin, **HA** isticmaalin shaxdan.

Qiyaasta Miisaanka ee <b>rodol (lbs)</b>	Miisaanka ayaa ah <b>kiiloogaraam (kg)</b>	Qiyaasta (mg)	Tirada kiniinka <b>200 mg</b>
44.1 – 88 rodol	20 – 39.9 kg	200 mg	1 kiniin ah
88.1 - 132 rodol	40 – 59.9 kg	400 mg	2 kaniini
132.1 rodol iyo ka badan	60 kg iyo ka badan	600 mg	3 kaniini